





[かいせつ]

(1)	①	510g
	②	190g
	③	840g
	④	1kg 140g

(1) ①・② | めもりは10g

③・④ | めもりは20g

(2)	①		②	
	③		④	

[かいせつ]

(1)	①	4300	
	②	ア	2
		イ	60
	③	9020	
	④	ア	7
		イ	400
(2)	①	2 kg	
	②	7 kg	
	③	8 kg 70 g	
	④	3 kg 40 g	
	⑤	4 t	
	⑥	5 t 310 kg	

(1) ① $4\text{ kg} = 4000\text{ g}$ 4000 g と 300 g なので、
 4300 g

② $2000\text{ g} = 2\text{ kg}$ 2 kg と 60 g なので、
 $2\text{ kg } 60\text{ g}$

③ $9\text{ t} = 9000\text{ kg}$ 9000 kg と 20 kg なので、
 9020 kg

④ $7000\text{ kg} = 7\text{ t}$ 7 t と 400 kg なので、
 $7\text{ t } 400\text{ kg}$

(2) ① $1000\text{ g} = 1\text{ kg}$ なので、 $2000\text{ g} = 2\text{ kg}$

② $1000\text{ g} = 1\text{ kg}$ なので、 $7000\text{ g} = 7\text{ kg}$

③ $8000\text{ g} = 8\text{ kg}$ と 70 g なので、 $8\text{ kg } 70\text{ g}$

④ $3000\text{ g} = 3\text{ kg}$ と 40 g なので、 $3\text{ kg } 40\text{ g}$

⑤ $1000\text{ kg} = 1\text{ t}$ なので、 $4000\text{ kg} = 4\text{ t}$

⑥ $5000\text{ kg} = 5\text{ t}$ と 310 kg なので、
 $5\text{ t } 310\text{ kg}$

[かいせつ]

(1)	①	4 kg 700 g
	②	7 kg
	③	4 kg 100 g
	④	700 g
	⑤	1 kg 900 g
	⑥	400 g
(2)	①	28 kg 900 g
	②	30 kg 800 g
	③	58 kg 600 g

$$(1) \quad ① \quad 4 \text{ kg } 500 \text{ g} + 200 \text{ g} = 4500 \text{ g} + 200 \text{ g} \\ = 4700 \text{ g} = 4 \text{ kg } 700 \text{ g}$$

$$② \quad 5 \text{ kg } 500 \text{ g} + 1 \text{ kg } 500 \text{ g} \\ = 5500 \text{ g} + 1500 \text{ g} = 7000 \text{ g} = 7 \text{ kg}$$

$$③ \quad 1 \text{ kg } 400 \text{ g} + 2 \text{ kg } 700 \text{ g} \\ = 1400 \text{ g} + 2700 \text{ g} = 4100 \text{ g} = 4 \text{ kg } 100 \text{ g}$$

$$④ \quad 1 \text{ kg} - 300 \text{ g} = 1000 \text{ g} - 300 \text{ g} \\ = 700 \text{ g}$$

$$⑤ \quad 2 \text{ kg } 600 \text{ g} - 700 \text{ g} = 2600 \text{ g} - 700 \text{ g} \\ = 1900 \text{ g} = 1 \text{ kg } 900 \text{ g}$$

$$⑥ \quad 2 \text{ kg } 200 \text{ g} - 1 \text{ kg } 800 \text{ g} = 2200 \text{ g} - 1800 \text{ g} \\ = 400 \text{ g}$$

$$(2) \quad ① \quad (\text{しげのぶさんの体重}) - (2 \text{ 人のちがい}) \\ = (\text{りかさんの体重})$$

$$29 \text{ kg } 700 \text{ g} - 800 \text{ g} = 29700 \text{ g} - 800 \text{ g} \\ = 28900 \text{ g} = 28 \text{ kg } 900 \text{ g}$$

$$② \quad (\text{しげのぶさんの体重}) + (2 \text{ 人のちがい}) \\ = (\text{こうきさんの体重})$$

$$29 \text{ kg } 700 \text{ g} + 1 \text{ kg } 100 \text{ g} \\ = 29700 \text{ g} + 1100 \text{ g} = 30800 \text{ g} = 30 \text{ kg } 800 \text{ g}$$

$$③ \quad (\text{しげのぶさんの体重}) + (\text{りかさんの体重}) \\ = (\text{全体の重さ})$$



$$29 \text{ kg } 700 \text{ g} + 28 \text{ kg } 900 \text{ g} \\ = 29700 \text{ g} + 28900 \text{ g} = 58600 \text{ g} = 58 \text{ kg } 600 \text{ g}$$



[かいせつ]

(1) 1 めもりは 10 g

(1)	①	680 g
	②	410 g
	③	960 g
	④	110 g

(2)	①		②	



[かいせつ]

(1)	①	2200	
	②	ア	3
		イ	40
	③	6050	
	④	ア	4
		イ	600
(2)	①	4 kg	
	②	3 kg	
	③	5 kg 30 g	
	④	3 kg 22 g	
	⑤	7 t	
	⑥	5 t 488 kg	

(1) ① $2\text{ kg}=2000\text{ g}$ 2000 g と 200 g なので、
 2200 g

② $3000\text{ g}=3\text{ kg}$ 3 kg と 40 g なので、
 $3\text{ kg }40\text{ g}$

③ $6\text{ t}=6000\text{ kg}$ 6000 kg と 50 kg なので、
 6050 kg

④ $4000\text{ kg}=4\text{ t}$ 4 t と 600 kg なので、
 $4\text{ t }600\text{ g}$

(2) ① $1000\text{ g}=1\text{ kg}$ なので、 $4000\text{ g}=4\text{ kg}$

② $1000\text{ g}=1\text{ kg}$ なので、 $3000\text{ g}=3\text{ kg}$

③ $5000\text{ g}=5\text{ kg}$ と 30 g なので、 $5\text{ kg }30\text{ g}$

④ $3000\text{ g}=3\text{ kg}$ と 22 g なので、 $3\text{ kg }22\text{ g}$

⑤ $1000\text{ kg}=1\text{ t}$ なので、 $7000\text{ kg}=7\text{ t}$

⑥ $5000\text{ kg}=5\text{ t}$ と 488 kg なので、
 $5\text{ t }488\text{ kg}$

[かいせつ]

(1)	①	5 kg 100 g
	②	6 kg
	③	7 kg
	④	400 g
	⑤	2 kg 800 g
	⑥	800 g
(2)	①	1 kg 390 g
	②	190 g

$$(1) \text{ ① } 4 \text{ kg } 300 \text{ g} + 800 \text{ g} = 4300 \text{ g} + 800 \text{ g} \\ = 5100 \text{ g} = 5 \text{ kg } 100 \text{ g}$$

$$\text{② } 2 \text{ kg } 200 \text{ g} + 3 \text{ kg } 800 \text{ g} \\ = 2200 \text{ g} + 3800 \text{ g} = 6000 \text{ g} = 6 \text{ kg}$$

$$\text{③ } 1 \text{ kg } 500 \text{ g} + 5 \text{ kg } 500 \text{ g} \\ = 1500 \text{ g} + 5500 \text{ g} = 7000 \text{ g} = 7 \text{ kg}$$

$$\text{④ } 1 \text{ kg} - 600 \text{ g} = 1000 \text{ g} - 600 \text{ g} \\ = 400 \text{ g}$$

$$\text{⑤ } 3 \text{ kg } 700 \text{ g} - 900 \text{ g} = 3700 \text{ g} - 900 \text{ g} \\ = 2800 \text{ g} = 2 \text{ kg } 800 \text{ g}$$

$$\text{⑥ } 5 \text{ kg } 200 \text{ g} - 4 \text{ kg } 400 \text{ g} = 5200 \text{ g} - 4400 \text{ g} \\ = 800 \text{ g}$$

$$(2) \text{ ① } (\text{ランドセルの重さ}) + (\text{国語の教科書とノートの重さ}) = (\text{全体の重さ}) \\ 840 \text{ g} + 550 \text{ g} = 1390 \text{ g} = 1 \text{ kg } 390 \text{ g}$$

$$\text{② } (\text{全体の重さ}) - (\text{国語の教科書の重さ}) = (\text{ランドセルとノートの重さ}) \\ (\text{ランドセルとノートの重さ}) - (\text{ランドセルの重さ}) = 1 \text{ kg } 30 \text{ g} - 840 \text{ g} \\ = 1030 \text{ g} - 840 \text{ g} = 190 \text{ g}$$



[かいせつ]



(1)	①	710 g
	②	600 g
(2)	①	6 kg
	②	3 t
	③	8 kg 350 g
	④	4 kg 200 g
	⑤	2 t 350 kg
	⑥	1 t 80 kg
(3)	①	600 g
	②	750 g

(1) 1000 g (1 kg) まではかることができるはかり
の1めもりは10 g

(3) ① (ジュースの重さ) + (つぎたしたジュースの重さ) = (全体の重さ)
 $250 \text{ g} + 350 \text{ g} = 600 \text{ g}$

② (全体の重さ) = 600 g なので、半分の重さは 300 g
 (ジュースの重さ) + (つぎたしたジュースの重さ) = (全体の重さ)
 $300 \text{ g} + 450 \text{ g} = 750 \text{ g}$



(1)	①		②	
	②			
(2)	①	5 kg		
	②	8 t		
	③	2 kg 500 g		
	④	1 kg 300 g		
	⑤	4 t 20 kg		
	⑥	5 t 78 kg		
(3)	①	370 g		
	②	570 g		

[かいせつ]

(3) ① (バターの重さ)+(たまごの重さ)+(さとうの重さ)=(全体の重さ)

$$100 \text{ g} + 120 \text{ g} + 150 \text{ g} = 370 \text{ g}$$

② (バターとたまごとさとうの重さ)+(小むぎこの重さ)=(全体の重さ)

$$370 \text{ g} + 200 \text{ g} = 570 \text{ g}$$



[かいせつ]

(1)	①	890 g
	②	1 kg 780 g
(2)	①	9 kg
	②	6 t
	③	6 kg 310 g
	④	5 kg 340 g
	⑤	1 t 520 kg
	⑥	2 t 760 kg
(3)	①	540 g
	②	1 kg 900 g

(1) ① 1000 g (1 kg) まではかることができるはかりの1めもりは10 g

② 2000 g (2 kg) まではかることができるはかりの1めもりは20 g

(3) ① (お茶の重さ) - (のんだお茶の重さ) = (全体の重さ)



$$230 \text{ g} + 230 \text{ g} = 460 \text{ g} \quad 1000 \text{ g} - 460 \text{ g} = 540 \text{ g}$$

② (全体の重さ) - (食べた重さ) = (のこりの重さ)

$$800 \text{ g} - 300 \text{ g} = 500 \text{ g} \quad 2300 \text{ g} - 900 \text{ g} = 1400 \text{ g}$$

$$500 \text{ g} + 1400 \text{ g} = 1900 \text{ g}$$





(1)	①		②	
	②			
(2)	①	8 kg		
	②	7 t		
	③	4 kg 300 g		
	④	5 kg 500 g		
	⑤	24 t 730 kg		
	⑥	41 t 709 kg		
(3)	①	1 kg 50 g		
	②	30 kg 100 g		

[かいせつ]

(3) ① (たつやさんが食べた重さ) + (すすむさんが食べた重さ) = (2 人が食べた重さ)
 $700 \text{ g} + 350 \text{ g} = 1050 \text{ g} = 1 \text{ kg } 50 \text{ g}$

② (じゅんこさんの体重) + (にもつの重さ) = (全体の重さ)
 $25500 \text{ g} + 4600 \text{ g} = 30100 \text{ g} = 30 \text{ kg } 100 \text{ g}$

(1)	①		②	
	②			
(2)	①	7 kg		
	②	2 t		
	③	3 kg 400 g		
	④	6 kg 500 g		
	⑤	24 t 930 kg		
	⑥	32 t 608 kg		
(3)	①	1 kg 150 g		
	②	30 kg 200 g		

[かいせつ]

(3) ① (たつやさんが食べた重さ) + (すすむさんが食べた重さ) = (2人が食べた重さ)
 $700\text{ g} + 450\text{ g} = 1150\text{ g} = 1\text{ kg } 150\text{ g}$

② (じゅんこさんの体重) + (にもつの重さ) = (全体の重さ)
 $25500\text{ g} + 4700\text{ g} = 30200\text{ g} = 30\text{ kg } 200\text{ g}$